

# "Ди Джей Про" ЕООД

Благоевград, бул. "Св. Димитър Солунски" №17

тел/факс: 073/835262 : GSM 0888 600 106



Цена листа  
2014 година

RCF COMMERCIAL AUDIO

[www.djpro.bg](http://www.djpro.bg)

[www.djpro-bg.com](http://www.djpro-bg.com)

[djpro@dir.bg](mailto:djpro@dir.bg)

| Part No.  | Model           | Description   | Цена<br>Лева<br>с ДДС |
|---|-----------------|---|-----------------------|
| <b>MULTI-ZONE SYSTEMS</b>                                       |                 |   |                       |
| <b>ZM 2000 SYSTEM</b>   |                 |   |                       |
| 12135085  | ZM 2124         | Powered master unit - 240W  | 2381                  |
| 17170166  | ZM 2100         | Master unit   | 1642                  |
| 17170167  | ZE 2200         | 6 zone extension  | 865                   |
| 14322021  | BM 2006         | Paging mic - 6 zone   | 391                   |
| 14322022  | BE 2012         | BM 2006 12 zone extension   | 218                   |
| 13360237  | RC 2946         | Remote control for ZM2000   | 260                   |
| <b>"AMBIENTE" SOUND DISTRIBUTION SYSTEM</b>                     |                 |   |                       |
| 12135043  | MS 520          | Amplifier and control unit (silver/black)   | 1747                  |
| 13360039  | RC 62W          | Remote control (white)  | 76                    |
| 13360040  | RC 62G          | Remote control (gray anthracite)  | 76                    |
| 13360041  | RC 62S          | Remote control (silver)   | 76                    |
| <b>CONFERENCE SYSTEMS</b>                                       |                 |   |                       |
| <b>DI.CO - ANALOG DISCUSSION SYSTEM</b>                         |                 |   |                       |
| 12170021  | DI.CO SYS       | Meeting compact syst. control amplif., 30W, AC  | 861                   |
| 14320011  | DI.CO PRES PLUS | President unit with gooseneck electret microph., light ring, 2 mt. cable                  | 382                   |
| 14320010  | DI.CO DEL PLUS  | Delegate unit with gooseneck electret microph., light ring, 2 mt. cable                   | 365                   |
| <b>ACCESSORIES</b>  |                 |   |                       |
| 14340014  | CA 20           | 10 mt. extension cable with connect. for DI.CO PRES/DEL mike units                        | 90                    |
| 14340020  | CA 40           | Multipair cable for Dico system. 100 Meter roll, price per meter                          | 5                     |
| 12310001  | CA Y            | "Y" splitter cable for DI.CO PRES on two DI.CO DEL console lines                          | 69                    |
| 14350028  | PEP/7           | 7 pin socket (DIN)  | 5                     |
| 14350027  | SEP/7           | Seven pin plug (DIN)  | 5                     |
| 17310059  | AR 1052 N       | Complete Rack kit for 4000 series 2 Unit equipment  | 69                    |
| <b>MICROPHONES AND WIRELESS MICROPHONE</b>                      |                 |   |                       |
| <b>HAND-HELD MICROPHONES</b>                                    |                 |   |                       |
| 14115014  | MD 7600         | Unidirect.dynamic microph., 5mt.cable with XLR, adapter for stands                        | 103                   |
| 14115013  | MD 7800         | Unidirectional dynamic microph., XLR 3 fem. connector, 5mt cable, holder                  | 160                   |
| <b>DESKTOP MICROPHONE</b>                                       |                 |   |                       |
| 14115020  | MC 4040         | Multipurpose gooseneck microphone, switch 5mt. Cable XLR                                  | 336                   |
| 14110079  | MT 3100         | Omnidir., grey, XLR conn. 5 m. cable, phantom   | 185                   |
| 14110080  | MT 3200         | Hemi-card., white, XLR conn. 5 m. cable, phantom  | 258                   |
| <b>WIRELESS MICROPHONES</b>                                     |                 |   |                       |
| 14250007  | TX 2006         | UHF multi-ch diversity wireless mic. System, Hand/held transm.                            | 344                   |
| 14250009  | PX 2106         | UHF multi-ch diversity wireless Lavalier mic. System, belt clip transm.                   | 344                   |
| 14250008  | TX 4016         | UHF multi-ch true diversity wireless mic. System, Hand/held transm.                       | 664                   |
| 14250010  | PX 4116         | UHF multi-ch true diversity wireless Lavalier mic. System, belt clip transm.              | 664                   |
| 14115023  | HE 2006         | Headset mic. to be combined with PX2106/4116 transmitters                                 | 69                    |
| <b>UHF 16 CH DIVERSITY WIRELESS MICROPHONES AND ACCESSORIES</b> |                 |   |                       |
| 14380004  | AS 1606         | Antenna splitter for up to 6 UHF diversity receivers, phantom power to feed AN 1608       | 1121                  |
| 14380005  | AN 1602         | Directional antenna   | 731                   |
| 17360031  | AR 1620         | Rack accessory to install one or two receivers in 19" rack cabinet                        | 126                   |
| 14380008  | CA 223U         | 100m cable type RG 223U   | 924                   |
| 14380009  | AC 1660         | 6 connection cables 80 cm to link 6 antennas from 3 receivers to splitter                 | 252                   |
| <b>PAGING MICROPHONE</b>  |                 |   |                       |
| 14322012  | BM 3003         | 3 zones desk-top paging mike console for ES3323, 5mt. Cable with RJ conn                  | 412                   |
| 14322008  | BM 3001         | Desk-top paging mike console for ES3160, 5mt.cable with RJ conn.                          | 239                   |
| 14115005  | MC 5030         | Unidir.gooseneck electr.micr.,ph.,desk-top,30cm.goos.,sw.w/AUXcomnd.facility,3 m.cableXLR | 260                   |
| 14322013  | BM 3022         | Goos. consolle c/w microph., 0 dB output, AC/DC   | 500                   |
| 14320135  | BM 3014         | Desk-top paging mike console, 5mt.cable with XLR conn.                                    | 193                   |
| <b>MICROPHONE ACCESSORIES</b>                                   |                 |   |                       |
| 14380014  | A 504-N         | Slide-on holder for hand-held microphone  | 17                    |
| 14310008  | A 507           | Universal slide on holder   | 17                    |
| 14380022  | AC AD 2405      | BM 3022 power supply adapter  | 50                    |
| 13360247  | AC MIC DK       | MC4040 support  | 67                    |
| 14380011  | AC S50DK        | Microphone desk stand, solid base   | 76                    |
| 14380027  | AC S76FL        | Mic floor stand   | 76                    |
| <b>CABLES AND CONNECTORS FOR MICROPHONES</b>                    |                 |   |                       |
| 14340017  | CA 5XX          | Mic. Extension cable with XLR connectors on both ends, 5m                                 | 38                    |
| <b>MP 300 SPEAK THROUGH SYSTEM</b>                              |                 |   |                       |
| 12170094  | MP 300          | Speak through system  | 1184                  |
| <b>AUDIO SOURCES</b>  |                 |   |                       |
| 17170108  | MS 1033         | CD-USB MP3 FM Tuner   | 676                   |
| <b>AMPLIFIERS AND PREAMPLIFIERS</b>                             |                 |   |                       |
| <b>CD/USB-MP3 RECEIVER AMPLIFIER</b>                            |                 |   |                       |

|   |                      |  |      |
|---|----------------------|--|------|
| 12135064  | <b>ES 3323</b>       | 3 zones - FM-RDS dig. tuner + CD/USB-MP3+5 IN - 320W amplifier   | 2633 |
| 12135057  | <b>ES 3160</b>       | FM-RDS digital tuner + CD/USB-MP3 + 5 IN - 160W amplifier  | 1768 |
| 13360101  | <b>AR 3000</b>       | Rack kit for ES3160  | 118  |
| <b>INTEGRATED AMPLIFIERS</b>                          |                      |  |      |
| 12135082  | <b>AM 1125</b>       | 5 input mixer amp. 120W AC/DC, 3 MIC/LINE. Priority  | 622  |
| 12135062  | <b>AM 2080</b>       | 2+2 input mixer amp. 80W AC, 2 MIC/LINE, Phantom, VOX activ. Priority  | 714  |
| 12135058  | <b>AM 2160</b>       | 4+2 input mixer amplifier 160W AC, 4 MIC/LINE, Phantom, VOX activ. Priority  | 1029 |
| 12135059  | <b>AM 2320</b>       | 4+2 input mixer amplifier 320W AC, 4 MIC/LINE, Phantom, VOX activ. Priority  | 1428 |
| <b>POWER AMPLIFIERS</b>                               |                      |  |      |
| 12135083  | <b>UP 1121</b>       | 120W AC/DC power amplifier   | 559  |
| 12135066  | <b>UP2082</b>        | 2 x 1+1 input power amplifier 2 x 80W AC   | 928  |
| 12135060  | <b>UP2161</b>        | 1+1 input power amplifier 160W AC  | 857  |
| 12135061  | <b>UP2321</b>        | 1+1 input power amplifier 320W AC  | 1352 |
| 12135065  | <b>UP2162</b>        | 2 x 1+1 input power amplifier 2 x 160W AC  | 1495 |
| 12135070  | <b>UP8501</b>        | 1+1 input power amplifier 500W AC/DC   | 2163 |
| 12135077  | <b>UP8502</b>        | 2 x 1+1 input power amplifier 2 x 250W AC/DC   | 2646 |
| 12135079  | <b>UP8504</b>        | 4 x 1+1 input power amplifier 4 x 125W AC/DC   | 3087 |
| <b>PREAMPLIFIERS</b>                                  |                      |  |      |
| 12135032  | <b>PR 4092</b>       | 9 IN - 2 OUT preamplifier  | 718  |
| <b>FLUSH MOUNTED AND WALL SPEAKERS</b>                |                      |  |      |
| <b>CEILING SPEAKERS</b>                               |                      |  |      |
| 13133045  | <b>PL40</b>          | 31/2" flush mnt. ceil. speaker with line transf., 8W, IP 44  | 46   |
| 13133060  | <b>PL50</b>          | 6" twin-cone flush mounting ceiling speaker, white, 6W, 70-100V, plastic grille  | 25   |
| 13110214  | <b>PL60</b>          | 6" twin-cone flush mounting ceiling speaker, white, 6W, 70-100V  | 38   |
| 13133042  | <b>PL 6X</b>         | 6" coax flush mnt. ceil. speaker with line transf., 12W, IP 44   | 63   |
| 13133043  | <b>PL 8X</b>         | 8" coax flush mnt. ceil. speaker with line transf., 20W, IP 44   | 80   |
| 13110062  | <b>HS 1026W</b>      | White frame Spot-Light ceiling speaker; 6W, 70-100V, HI-PASS filter  | 63   |
| 13133061  | <b>PLF30</b>         | 3,5" in-ceiling speaker, paintable, 170° dispersion, white, 12W, 100V  | 172  |
| <b>COMPACT SPEAKERS</b>                               |                      |  |      |
| 13000049  | <b>DM 41</b>         | Compact cabinet, 2way with 31/2" woofer, 15W with line transf, IP55, white   | 109  |
| 13000387  | <b>DM 41-B</b>       | Compact cabinet, 2way with 31/2" woofer, 15W - 8 Ohm, IP55, black  | 92   |
| 13000050  | <b>DM 61</b>         | Compact cabinet, 2way with 6" woofer, 25W with line transf, IP55, white  | 202  |
| <b>PENDANT SPEAKERS</b>                               |                      |  |      |
| 13133054  | <b>BS 8</b>          | Pendent ball spkr., white autoesting.plastic, 20W, 100V, 5 mt.cable  | 101  |
| 13110006  | <b>BS 2620</b>       | Pendent ball spkr., white autoesting.plastic, 20W, 100V, 5 mt.cable  | 176  |
| <b>UNIVERSAL MOUNTING SPEAKERS</b>                    |                      |  |      |
| 13000105  | <b>DU100-X</b>       | Wall/ceil. mount. Coax spkr., white, 10W, 25-70-100V   | 92   |
| <b>WALL MOUNT SPEAKERS</b>                            |                      |  |      |
| 13000204  | <b>DU 31</b>         | 2 way in-wall mounting speaker 6W 100V, white  | 42   |
| 13000220  | <b>DU 31AT</b>       | 2 way in-wall mounting speaker 6W 100V, with volume control, white   | 55   |
| <b>FLUSH MOUNT WALL SPEAKERS</b>                      |                      |  |      |
| 13133044  | <b>WS 620XT</b>      | 6" coax flush mnt. speaker with line transf., 12W, IP 55   | 76   |
| 13110071  | <b>E.L.I.S.A. 50</b> | Flush mount. spkr., white, 20W 4 ohm; 6W 70-100V   | 130  |
| <b>GARDEN SPEAKERS</b>                                |                      |  |      |
| 13133056  | <b>GS5</b>           | Garden speaker - 10W   | 370  |
| <b>SOUND PROJECTORS, MONITORS AND COLUMN SPEAKERS</b> |                      |  |      |
| <b>SOUND PROJECTORS</b>                               |                      |  |      |
| 13000106  | <b>DP 4</b>          | Weather-proof sound projector light grey, 12W, 100V  | 84   |
| 13000107  | <b>DP 2X/1</b>       | Sound projector, Coax, ABS white, 4W, 100V   | 109  |
| 13000247  | <b>BD 42</b>         | Bi-directional sound projector 2x4", IP55, 12W-100V  | 109  |
| <b>COLUMN SPEAKERS</b>                                |                      |  |      |
| 13000231  | <b>CS 3041</b>       | 2way column speaker, 4x2" woofers + 1 TW, 15W - 100V, white  | 181  |
| 13000232  | <b>CS 3082</b>       | 2way column speaker, 8x2" woofers + 2 TW, 30W - 100V, white  | 239  |
| 13150006  | <b>CS 6940</b>       | 9 transducers 2 way sound column, alumin, 40W, 70-100V white, IP 66  | 903  |
| <b>SPEAKERS ACCESSORIES</b>                           |                      |  |      |
| 13360123  | <b>A 1331</b>        | Multi purpose mounting adapter for DU31 & DU31AT   | 21   |
| 13360038  | <b>AC 50B</b>        | Flush mounting box for Elisa 50  | 17   |
| 13320107  | <b>A 1360</b>        | White adapter to surface mount PL 60   | 25   |
| 13360206  | <b>AC WM-CS</b>      | Pair of swivel mounting bracket for CS3041 and 3082  | 50   |
| <b>MONITOR SERIES</b>                                 |                      |  |      |
| 7140  | <b>MONITOR 33T</b>   | Coax spkr. system, black, 20W, 25-50-70-100V, wall mnt. accessory  | 210  |
| 7141  | <b>MONITOR 33WT</b>  | Coax spkr. system, white, 20W, 25-50-70-100V, wall mnt. accessory  | 210  |
| 7142  | <b>MONITOR 44T</b>   | Const. dir. spkr. syst., black, 60W 4ohm/30W 25-50-70-100V   | 277  |
| 7354  | <b>MONITOR 44TW</b>  | Const. dir. spkr. syst., white, 60W 4ohm/30W 25-50-70-100V   | 277  |
| 7143  | <b>MONITOR 55</b>    | Const. direct. spkr. system, black, 175W, 4ohm   | 315  |
| 7355  | <b>MONITOR 55W</b>   | Const. direct. spkr. system, white, 175W, 4ohm   | 315  |
| <b>ACCESSORIES</b>                                    |                      |  |      |
| 13322032  | <b>MA 7-W</b>        | Pair of swivel mounting bracket white  | 38   |
| 8056  | <b>MA 3B</b>         | U bracket for MR 33T   | 59   |
| 8057  | <b>MA 3W</b>         | U bracket for MR 33-WT   | 59   |
| 8058  | <b>MA 5B</b>         | U bracket for MR 44-T and MR 55  | 63   |
| 8059  | <b>MA 5W</b>         | U bracket for MR 44-WT and MR 55W  | 63   |
| 13360009  | <b>MA 4X</b>         | Cluster mounting accessory for MR 33T, 44T and 55  | 143  |
| <b>MONITOR "Q" SERIES</b>                             |                      |  |      |
| 13000068  | <b>MQ 30P - B</b>    | Coax two-way compact sound projector with mounting hardware system, built-in 12W line transf, 16 ohm facility (Black colour)                 | 155  |
| 13000058  | <b>MQ 30P - W</b>    | White colour   | 155  |
| 13000070  | <b>MQ 50 - B</b>     | Two-way speaker with waveguide mounted tweeter integrated with mounting hardware system, built-in line transf. 16ohm facility (Black colour) | 239  |
| 13000056  | <b>MQ 50 - W</b>     | White colour   | 239  |
| 13000081  | <b>MQ 50C - W</b>    | Two-way ceiling monitor, wide dispersion, light weight, built-in 30W line transf. (White)  | 252  |

|  |                      |  |             |
|--|----------------------|--|-------------|
| 13000139   | <b>MQ 50-i W</b>     | Constant directivity Monitor Speaker White for flush mount-in wall installation - WHITE  | <b>239</b>  |
| 13000072   | <b>MQ 60H - B</b>    | Two-way twin tweeter on constant directivity horns for 180° dispersion with mounting hardware system, built-in 30W line transf., 16ohm facility (Black colour) | <b>281</b>  |
| 13000060   | <b>MQ 60H - W</b>    | White colour   | <b>281</b>  |
| 13360080   | <b>MQ 60H link-W</b> | Link for Monitor Q 60H - W   | <b>42</b>   |
| 13360081   | <b>MQ 60H link-B</b> | Link for Monitor Q 60H - B   | <b>42</b>   |
| 13000094   | <b>MQ 80P - B</b>    | Hi-efficiency two-way horn loaded sound projector, built-in 30W line transf., IP 55 (Black colour)   | <b>302</b>  |
| 13000096   | <b>MQ 80P - W</b>    | White colour   | <b>302</b>  |
| 13000097   | <b>MQ 90S - B</b>    | 8" band pass subwoofer, 60 W (Black colour)  | <b>319</b>  |
| 13000186   | <b>MQ 100L-B</b>     | 3 way mini-column array speaker system - black   | <b>386</b>  |
| 13000187   | <b>MQ 100L-W</b>     | 3 way mini-column array speaker system - white   | <b>386</b>  |
| <b>COMMERCIAL AUDIO - MULTIMEDIA SPEAKERS</b>          |                      |  |             |
| 13000265   | <b>DMW20-A</b>       | 3" active multimedia speaker, 20W class D ampli. 230V, white   | <b>139</b>  |
| <b>HORN SPEAKERS</b>                                   |                      |  |             |
| 13130035   | <b>HD 216/ST</b>     | W/tight diecast alumin. horn 20W, 50/100V  | <b>374</b>  |
| 7057   | <b>HD 210/TY</b>     | 70/100V 20W round ALU paging horn, IP 66. INOX acc.,   | <b>189</b>  |
| 13130001   | <b>HD 310/T</b>      | W/tight alumin. Horn 30W, 70/100V - IP 65  | <b>231</b>  |
| 13133041   | <b>HD 410/T</b>      | 70/100V 50W round ALU paging horn, IP 66. INOX acc.,   | <b>382</b>  |
| 13120011   | <b>H 6045</b>        | Fiberglass horn 600x450mm. To be combined with 4 x D 5076 16 Ohm drivers.  | <b>1722</b> |
| <b>DRIVERS</b>   |                      |  |             |
| 15110017   | <b>D 5076</b>        | Drive unit 50W, 16ohm  | <b>202</b>  |
| <b>HORN ACCESSORIES</b>                                |                      |  |             |
| 13330006   | <b>TD 507</b>        | Multitap transf. for D 5076; 50W, 50/100V  | <b>71</b>   |
| <b>ATTENUATORS, AUDIO TRANSFORMERS AND ACCESSORIES</b> |                      |  |             |
| <b>ATTENUATORS/SWITCHERS</b>                           |                      |  |             |
| 13160032   | <b>AT10Z</b>         | 10W / 4 Ohm Constant impedance attenuator (frame not included)   | <b>63</b>   |
| 13160033   | <b>AT20T</b>         | 20 W / 100V Transformer attenuator (frame not included)  | <b>84</b>   |
| 13160035   | <b>AT40T</b>         | 40 W / 100V Transformer attenuator (frame not included)  | <b>113</b>  |
| 13160036   | <b>CT61</b>          | Volume control for line Transformer 6 Positions (frame not included)   | <b>63</b>   |
| 13360050   | <b>TL 128</b>        | Multitap auto-transformer 100V in, 100V out, 120 W   | <b>84</b>   |
| 13160034   | <b>CP52</b>          | Program selection for line 100 V 5 position (frame not included)   | <b>63</b>   |
| <b>LINE TRANSFORMERS</b>                               |                      |  |             |
| 13360045   | <b>TD 10</b>         | High quality extended range multitap transformer 100V in, 4-8 ohm output, 10 W   | <b>71</b>   |
| 13360046   | <b>TD 30</b>         | High quality extended range multitap transformer 100V in, 4-8 ohm output, 30 W   | <b>84</b>   |
| 13360047   | <b>TD 60</b>         | High quality extended range multitap transformer 100V in, 4-8 ohm output, 60 W   | <b>113</b>  |
| 13360048   | <b>TD 120</b>        | High quality extended range multitap transformer 100V in, 4-8 ohm output, 120 W  | <b>134</b>  |
| 13360049   | <b>TD 240</b>        | High quality extended range multitap transformer 100V in, 4-8 ohm output, 240 W  | <b>189</b>  |
| 13330001   | <b>TD 105</b>        | Transf. multi taps, 4W, 50/100V, 4ohm (for DA/1N and CSN-N)  | <b>21</b>   |
| <b>DIAPHRAGMS</b>                                      |                      |  |             |
| 15410005   | <b>M 3</b>           | For HD 125, HD 125/T, 16 ohm   | <b>55</b>   |
| 15410026   | <b>M 24</b>          | For HD 1110, 16 ohm  | <b>55</b>   |
| 15410027   | <b>M 25</b>          | For HD 1110, 8 ohm   | <b>55</b>   |
| 15410028   | <b>M 26</b>          | For HD 216/ST, 16 ohm  | <b>59</b>   |
| 15410029   | <b>M 27</b>          | For HD 2220-/T, HD 3421-/T, 16ohm  | <b>59</b>   |
| 15410031   | <b>M 29</b>          | For HD 1120, HD 1120/T, 16 ohm   | <b>55</b>   |
| 15410032   | <b>M 30</b>          | For HD 1120, HD 1120/T, 8 ohm  | <b>55</b>   |
| 15410033   | <b>M 31</b>          | For D 3045-/T-TS, D 5076, 16 ohm   | <b>76</b>   |
| 15410040   | <b>M 40</b>          | For HD 3418-/T, HD 220, HD 241/PGT   | <b>55</b>   |
| 15410099   | <b>M 99</b>          | For HD 310/T   | <b>59</b>   |
| 15420020   | <b>M 97</b>          | For HD410/T E HD4020/T   | <b>63</b>   |
| 15420021   | <b>M 96</b>          | For HD3216 HD210/T HD2414/T  | <b>55</b>   |
| <b>PORTABLE IMPEDANCE TESTER</b>                       |                      |  |             |
| 13360089   | <b>IM 2220</b>       | Impedance tester   | <b>533</b>  |
| <b>RACK COMPONENTS</b>                                 |                      |  |             |
| <b>RACK ENCLOSURES &amp; ACCESORIES</b>                |                      |  |             |
| 17170080   | <b>CR 2615</b>       | 15 U Rack cabinet 19", wheels  | <b>1239</b> |
| 17170081   | <b>CR 2628</b>       | 28 U Rack cabinet 19", forced vent. w/thermal switch   | <b>2058</b> |
| 17170082   | <b>CR 2642</b>       | 42 U Rack cabinet 19", forced vent. w/thermal switch   | <b>2524</b> |
| 17170129   | <b>CR 2615FV</b>     | 15 U Rack cabinet 19", forced vent. W/thermal switch   | <b>1768</b> |
| 17360028   | <b>AK 2615</b>       | Frontal door with glass for CR 2615  | <b>412</b>  |
| 17360029   | <b>AK 2628</b>       | Frontal door with glass for CR 2628  | <b>605</b>  |
| 17360030   | <b>AK 2642</b>       | Frontal door with glass for CR 2642  | <b>794</b>  |
| 17170137   | <b>PV 2603</b>       | Rack accessory - Ventilation unit - 3 fans   | <b>811</b>  |
| 17360038   | <b>RR 2601</b>       | Wheels kit for CR 2628 and CR 2642 rack cabinets   | <b>281</b>  |
| 17360027   | <b>AR 2605</b>       | Multi AC socket on rack rear-support, 16A MAX, DIN BAR for the application of 4 standard DIN modules   | <b>164</b>  |
| 17310058   | <b>AR 1051 N</b>     | Complete rack kit for RM 8080, 1 Unit  | <b>69</b>   |
| 17310059   | <b>AR 1052 N</b>     | Complete Rack kit for 4000 series 2 Unit equipment   | <b>69</b>   |
| 17360039   | <b>AR 1050</b>       | Lateral rack support for installation in RCF CR2600 series   | <b>34</b>   |
| 17170145   | <b>PU 1</b>          | One unit blank panel   | <b>29</b>   |
| 17170146   | <b>PU 2</b>          | Two unit blank panel   | <b>36</b>   |
| 17170147   | <b>PU 3</b>          | Three unit blank panel   | <b>44</b>   |
| 17170148   | <b>PU 4</b>          | Four unit blank panel  | <b>53</b>   |
| 17170149   | <b>P AER-1</b>       | Natural ventilation panel, 1 rack unit   | <b>36</b>   |
| <b>POWER TRANSFORMERS</b>                              |                      |  |             |
| 17170125   | <b>RT2006</b>        | Rack connections for power transformers TD300-TD500-TD1000   | <b>588</b>  |
| 17170126   | <b>TD 300</b>        | 300W Professional audio toroidal transformer   | <b>286</b>  |
| 17170127   | <b>TD 500</b>        | 500W Professional audio toroidal transformer   | <b>357</b>  |
| 17170128   | <b>TD 1000</b>       | 1000W Professional audio toroidal transformer  | <b>529</b>  |
| <b>RACK COMPONENTS</b>                                 |                      |  |             |

|                                    |                    |  |            |
|------------------------------------|--------------------|--|------------|
| 17170168                           | <b>RD 2016</b>     | Digital voice announcer  | <b>664</b> |
| 17130046                           | <b>SA 2095</b>     | Rack control unit, 1 rack unit, AC switch, 70-100V and sources audio monitor         | <b>945</b> |
| <b>ACCESSORIES</b>                 |                    |  |            |
| 13360102                           | <b>AC XLR-3M3F</b> | 3 male + 3 female XLR connectors (3 pins)  | <b>27</b>  |
| 14340012                           | <b>2/C</b>         | Two wire shielded cable 100mt roll. Price per meter                                  | <b>3</b>   |
| 14340013                           | <b>2+2C</b>        | Two wire shielded cable with additional pair, 100mt roll. Price per meter            | <b>3</b>   |
| <b>MOBILE AMPLIFICATION</b>        |                    |  |            |
| <b>MEGAPHONE</b>                   |                    |  |            |
| 13140011                           | <b>MG 80</b>       | Megaphone with 500mt. power range  | <b>202</b> |
| <b>MOBILE AMPLIFIERS</b>           |                    |  |            |
| 12110012                           | <b>AM 6020</b>     | Compact ampl. 20+20W (24 V. 8 ohm), 10 + 10W (12VDC, 4ohm)                           | <b>519</b> |
| <b>MICROPHONE WITH PUSH BUTTON</b> |                    |  |            |
| 14115021                           | <b>MD 6000 X</b>   | Omnidir. PTT fist microph. + extensible cable, DIN plug                              | <b>67</b>  |
| <b>HORN SPEAKERS WITH DRIVERS</b>  |                    |  |            |
| 13133037                           | <b>HD 3216/T</b>   | 70/100V 25W square plastic paging horn, IP 66, UL-HB material UV stabil., INOX acc., | <b>185</b> |
| 13133039                           | <b>HD 3216</b>     | 8 Ohm - 25W square plastic paging horn, IP 66, UL-HB material UV stabil., INOX acc., | <b>151</b> |
| <b>ACCESSORIES</b>                 |                    |  |            |
| 13320036                           | <b>ST 7300</b>     | Horn support to use with bridge for car roof   | <b>34</b>  |